

Outstanding quality and functionality, with easy upgrading and convenient flat keyboard.

**TK-6000/TK-7000/TK-T500**



TK-6000



TK-7000



TK-T500  
2 station Thermal  
Printer Model

# Outstanding quality, reliability plus memory cassette for

## Printer

### ● 45mm wide two station dot matrix printer

- 3.0-lines/second high speed printer
- receipt auto cutter (TK-7000/ TK-T500)
- 4 line x 24-character logo, commercial and trailer messages
- 1 line x 55-digit validation printing
- 16-character item descriptors



TK-7000


- Two line operator
- Pop up



TK-6000



TK-7000



## Connectivity and Expandability

- PC connection direct or via modem
- Up to TWO external printers (Epson Serial Printers)
- RAC-9 memory cassette provides easy and quick upgrades of application software\*
- Slip printer (SP-1300)
- Hand held bar code scanner (Serial Interface)
- Scale interface (NCI-6710)
- Built-in Arc-net for high performance connection for up to 32 terminals (TK-6000 required I/O-PB-14 Interface board)



RAC-9

\* Available with the TK-7000 and TK-T500 only

# Flexible functions for easy upgrading.

## Large Display


display

**CE-6000** Operator display



for operator guidance are

display



## Memory

	Standard	Optional	
<b>CE-6000</b>	128KB	-	
<b>CE-7000</b>	256KB	RAM-610 (512KB)	RAM-610 (512KB)

### ● The CE-7000 Scanning function

The CE-7000 model comes with scanning capability. The CE-7000 can be expanded to 5,000 items by adding optional memory chips. Essential functions for the scanning environment such as Not Found PLU (NFP), PLU batch maintenance file, bottle link and Mix & Match functions are also available on the CE-7000 model.

### ● The CE-7000 Guest Check Tracking System

The stand alone detailed guest check tracking function provide the retailer or restaurant with the capability of handling and maintaining customer orders. Up to 200 orders with a variety of items can be maintained.

## Powerful Registration Tools

- EAT-IN/TAKE-OUT
- Hair dresser (clerk change)
- Reduced price\* • Stock control\* • Bottle link\*
- Auto check number generation\* • Review • Media change
- Store/recall\* • Arrangement

\* Available with the CE-7000 only

## Free Function Keyboard Layout



CE-7000



CE-6000

## List of reports

Financial *2
Free function *2
PLU *2 by amount by quantity
PLU stock *1
Department *2
Group *2
Clerk *2
Hourly * 2
Monthly *2
Open check *1
Scanning PLU *1
Not found PLU *1
Table analysis *2
Hourly item report *2
Mix & Match *2
Flash report *1

- \* 1:Daily report
- \* 2:Daily and periodic report

## Specifications

		CE-6000	CE-7000
<b>Input method</b>	Entry Department	10 key system, 8 key buffer memory(2-key roll over) Department: Full-key stroke system	
<b>Display</b>	Operator display	LED	VFD
	Number of Digits	10	16 x 2alpha + 10 numeric
<b>Printer</b>	Customer display	LED	VFD
	Number of Digits	8	10
<b>Printer</b>	Receipt	24-column impact serial dot matrix Automatic cut off(CE-7000 only) Receipt on/off switch	
	Stamp size	20(H) x 30(W) mm	
	Journal	24-column impact serial dot matrix Automatic take up roll winding	
	Validation	55 digits ; one line ; 84.5mm(minimum) wide slip	
<b>Drawer</b>	Paper roll	45(W) x 83(φ)mm maximum	
	Paper feed	Separate for receipt and journal	
	Print speed	3.0 lines / second	
<b>Drawer</b>		Separate	
<b>Alarm</b>		Error alarm, entry confirmation signal, sentinel alarm	
<b>Memory protection battery</b>	48-hour full charge protects memories for approximately 90 days The battery should be replaced every five years.		
<b>Power source</b>		120,220,230,240V AC(±10%) fixed	
<b>Power consumption</b>	120V	Stand by 0.3A	Maximum 0.7A
	220V	0.2A	0.4A
	230V	0.2A	0.4A
	240V	0.2A	0.4A
<b>Operating temperature</b>		0 - 40°C	
<b>Humidity</b>		10 - 90%	
<b>Dimensions and weight</b>			
<b>ECR without drawer</b> <b>M drawer type</b> <b>L drawer type</b>	DL-2766/2767 *	218(H) x 345(W) x 454(D) 6.5Kg	
	DL-3616 <sup>3</sup> /3617	332(H) x 410(W) x 454(D) 13Kg	
	DL-2786 and DL-2767 are slit drawer type	344(H) x 460(W) x 480(D) 16Kg	
<b>Memory</b>	Flash rom	2MB	
		-	512KB for back up
	Ram	Standard 128KB	256KB
	Optional	-	512KB x 2

- \* 3:Compulsory type

READ symbol, date, time	X	11-09-2003 20:35	
Cashier name, machine number, consecutive number		FERNANDO MC#01	1465
READ symbol, report name	X	PLU AMT	
Report code			0060014
Order by amount		1.....	
Item descriptor, quantity		BLUE JEANS	24
Sales ratio, amount		8.84%	1,392.00
PLU code		#000045	
		2.....	
		CORDUROYS BROWN	16
		5.49%	864.00
		#000262	
		50.....	
		SWEATER GRAY	4
		1.63%	\$256.00
		#000170	
PLU AMT total quantities		TL	268
PLU AMT total amount			15,741.20

## Option List

Categories	Items	Model name	CE-6000	CE-7000
<b>Cable</b>	PC link cable	PRL-CB-2	●	●
	External printer cable (Epson Serial Printers)	PRT-CB-8A(3meter) PRT-CB-8B(5meter)	-	●
	Slip printer cable for SP-1300	PRT-CB-8C	-	●
<b>Printer</b>	Epson impact printer	TM-U200	-	●
	Epson thermal printer	TM-88	-	●
	Power supply unit	Epson	-	●
	Slip printer	SP-1300	-	●
<b>Scanner</b>	Hand held scanner	Serial Interface	-	●
<b>Memory</b>	Additional ram chip	RAM-610	-	●
	Memory cassette	RAC-9	-	●
<b>Cover</b>	Wet proof cover	WT-77	●	●
<b>Drawer</b>	Multi drawer kit	MDL-10	●	●
	Coin tray for DL-2766/2767	CTR-29	●	●
	Coin tray for DL-3616/3617	CTR-D	●	●
	Lid for DL-2766/2767	SLD-1	●	●
	Lid for DL-3616/3617	SLD-F	●	●
<b>Paper roll</b>	Paper roll	P-4575	●	●
<b>Ink ribbon</b>	Ink ribbon	ERC-32	●	●

NOTE:Specifications and design are subject to change without notice.